




Typical consent requirements for activities in and near ordinary watercourse in accordance with the Land Drainage Act 1991 (including both temporary and permanent works)




Pipe culvert of part or whole section of watercourse, including modification of existing culvert - Consent Required under Section 23 1(b & c)




Piped outfall within bank with or without an associated headwall - Typically requires consent* **



Oversized box culvert of part or whole section of watercourse, including modification of existing culvert - Consent Required under Section 23 1(b & c)




Weir, dam or any object capable of restricting natural flow - Consent Required under Section 23 1(a)




Implementation or alteration of trash screens/grilles - Consent Required under Section 23 1(b&c)




Bridge where soffit level is below the top of bank - Consent Required under Section 23 1(a)




Bank protection works that do not result in loss of cross sectional area of watercourse - Consent typically not required*




Clear span bridge above the top of bank - Unlikely to require consent*




Pipe/utilities crossing a channel (within bank extent) - Consent Required under Section 23 1(b&c)




Clear span bridge or abutments not within cross sectional area - Unlikely to require consent*




Pipe/utilities laid above bank level - Consent typically not required*



Bridge abutments or supports within cross sectional area - Consent required under section 23 1(a)




Pipe/utilities laid below bed of channel - Consent typically not required*



Bridge with support in channel - Consent required under section 23 1(a)



Piped outfall protruding from bank with or without an associated headwall - Consent Required under Section 23 1(b&c)



Filling in of a watercourse - Consent Required under Section 23 1(b&c) (consent will typically not be provided without suitable alternative arrangement)

* May require consent for temporary works during construction

** Discharge into watercourses can impact the flow of the watercourse and lead to erosion